

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant:	Heinrich Schenk	Docket No.:	1435.106.101/13968US
Patent No.:	7,376,689	Issued:	May 20, 2008
Title:	METHOD AND APPARATUS FOR REDUCING THE CREST FACTOR OF A SIGNAL		

---

**REQUEST FOR CERTIFICATE OF CORRECTION**

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Applicant hereby requests an Official Certificate of Correction with respect to the above-identified Patent.

The error(s) listed on the enclosed Certificate of Correction were made by Applicant and the U.S. Patent and Trademark Office. The Patent Office is hereby authorized to charge Deposit Account 500471 in the amount of \$100.00 to cover the Certificate of Correction fee as set forth under 37 C.F.R. 1.20(a).

Applicant would appreciate the error(s) to be corrected and an Official Certificate of Correction be sent to Applicant's representatives at the address given below.

Respectfully submitted,

Heinrich Schenk,

By his attorneys,

DICKE, BILLIG & CZAJA, PLLC  
Fifth Street Towers, Suite 2250  
100 South Fifth Street  
Minneapolis, MN 55402  
Telephone: (612) 573-2003  
Facsimile: (612) 573-2005

Date: May 18, 2009  
PGB/mlm

By: /Patrick G. Billig/  
Patrick G. Billig  
Reg. No. 38,080

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

**PATENT NO.** : 7,376,689 **Page 1 of 4**  
**DATED** : May 20, 2008  
**INVENTORS** : Heinrich Schenk

It is certified that error appears in the above-identified patent and that said Letter Patent is hereby corrected as shown below:

Column 1, line 12, delete "XDSL" and insert in place thereof --x DSL--.

Column 1, line 61, delete the Paragraph Return following "factor."

Column 1, line 65, delete the Paragraph Return following "6,038,261.".

Column 3, line 59, delete "illustrates" and insert in place thereof --illustrate--.

Column 5, line 26, delete "mm" and insert in place thereof --min--.

MAILING ADDRESS OF SENDER:  
**DICKE, BILLIG & CZAJA, PLLC**  
Attn: Patrick G. Billig  
Fifth Street Towers, Suite 2250  
100 South Fifth Street  
Minneapolis, MN 55402

PATENT NO. 7,376,689  
Docket No.: I435.106.101/13968US

No. of add'l copies @ .50 per page: \_\_\_\_\_

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

**PATENT NO.** : 7,376,689 **Page 2 of 4**  
**DATED** : May 20, 2008  
**INVENTORS** : Heinrich Schenk

It is certified that error appears in the above-identified patent and that said Letter Patent is hereby corrected as shown below:

Column 6, line 46, delete "steps 1 to 3" and insert in place thereof --Finally steps 1 to 3 are repeated--.

Column 6, line 49, delete "steps 1" and insert in place thereof --Steps are repeated 1--.

Column 8, line 44, delete " $\{ |^{xm}(k) | \}$ " and insert in place thereof  $--\{ |xm(k) | \}--$ .

Column 8, line 61, delete "N - M" and insert in place thereof --N - M.--.

Column 9, lines 23, 24, and 26, delete all occurrences of "x ref" and insert in place thereof --xref--.

MAILING ADDRESS OF SENDER:  
**DICKE, BILLIG & CZAJA, PLLC**  
Attn: Patrick G. Billig  
Fifth Street Towers, Suite 2250  
100 South Fifth Street  
Minneapolis, MN 55402

PATENT NO. 7,376,689  
Docket No.: 1435.106.101/13968US

No. of add'l copies @ .50 per page: \_\_\_\_\_

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

**PATENT NO.** : 7,376,689 **Page 3 of 4**  
**DATED** : May 20, 2008  
**INVENTORS** : Heinrich Schenk

It is certified that error appears in the above-identified patent and that said Letter Patent is hereby corrected as shown below:

Column 9, line 31, delete "If however," and insert in place thereof --If, however,--.

Column 9, line 32, delete "sorter" and insert in place thereof --sorting means--.

Column 9, lines 37 and 41, delete " $\phi_i$ " and insert in place thereof -- $\phi_i$ --.

Column 9, line 41-42, delete "vector builder 10" and insert in place thereof --building means 10--.

Column 11, line 4, delete "that is, is" and insert in place thereof --that is,--.

MAILING ADDRESS OF SENDER:  
**DICKE, BILLIG & CZAJA, PLLC**  
Attn: Patrick G. Billig  
Fifth Street Towers, Suite 2250  
100 South Fifth Street  
Minneapolis, MN 55402

PATENT NO. 7,376,689  
Docket No.: I435.106.101/13968US

No. of add'l copies @ .50 per page: \_\_\_\_\_

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

**PATENT NO.** : 7,376,689 **Page 4 of 4**  
**DATED** : May 20, 2008  
**INVENTORS** : Heinrich Schenk

It is certified that error appears in the above-identified patent and that said Letter Patent is hereby corrected as shown below:

Column 13, line 20, delete "and phase" and insert in place thereof --and a phase--.

Column 13, line 25, delete "redetermined" and insert in place thereof --predetermined--.

Column 13, line 38, delete "timed" and insert in place thereof --time--.

Column 14, line 13, delete "connected" and insert in place thereof --corrected--.

Column 14, line 30, move one "+" to beginning of the second line of equation.

MAILING ADDRESS OF SENDER:  
**DICKE, BILLIG & CZAJA, PLLC**  
Attn: Patrick G. Billig  
Fifth Street Towers, Suite 2250  
100 South Fifth Street  
Minneapolis, MN 55402

PATENT NO. 7,376,689  
Docket No.: I435.106.101/13968US

No. of add'l copies @ .50 per page: \_\_\_\_\_